

2

2.1

2.2

2.4

3

3.1

3.1.1

o

o


3.1-1

C

3.2

3.2-1


		" "	" "	" "



3.5-1

3.6

3.6.1



3.6-1


"

"

"

"

3.6.2



3.6-2

3.7-2

4

4.1 /

4.1.1

4.1-1

4.1.2

4.1-2

			" "	

4.1.3

4.2

4.2.1

4.2.2

4.3

“ ”

4.3.1

4.3-1

		“ ”		“ ”	

4.3.2“ ”

4.3-2

		“ ”	

--	--	--	--

5

5.1

5.1.1

“ ”

5.2

"

"

"


"

"

"



6



AB

7

7.1

7.1-1

7.2

7.1-2

7.3

7.1-3

7.4

7.1-4

8

8.1

8.1-1

9.2-1

		/						
		2025.4.25			2025.4.26			
			/	/	/	/	/	/

9.2-4

		mg/m³		

9.2-5

	/					
	2025.4.25		2025.4.26			

9.2.5

9.2-9

9.2.6

9.2-10

			2	2	2

			2	2	2	
			2			
			2			
1				3000h		72h
2						

9.2-11

t/a

(1) 360m³/a

(2) 1.5mg/L × ×10⁻⁶ COD30mg/L

1

10

10.1

10.1.1

10.1.2

10.2

10.3

" "

